

- function in diabetes mellitus over time. *Am J Cardiol* 2009;103:1463-1466.
38. Malhotra A, Penpargkul S, Fein FS, et al. The effect of streptozotocin-induced diabetes in rats on cardiac contractile proteins. *Circ Res* 1981;49:1243-1250.
 39. Vadlamudi RV, Rodgers RL, McNeill JH. The effect of chronic alloxan-and streptozotocin-induced diabetes on isolated rat heart performance. *Can J Physiol Pharmacol* 1982;60:902-911.
 40. Grandi AM, Piantanida E, Franzetti I, et al. Effect of glycemic control on left ventricular diastolic function in type 1 diabetes mellitus. *Am J Cardiol* 2006;97:71-76.
 41. Berg TJ, Snorgaard O, Faber J, et al. Serum levels of advanced glycation end products are associated with left ventricular diastolic function in patients with type 1 diabetes. *Diabetes Care* 1999;22:1186-1190.
 42. Posner J, Ilya R, Wanderman K, et al. Systolic time intervals in diabetes. *Diabetologia* 1983;24:249-252.
 43. Mathew P, John L, Jose J, et al. Assessment of left ventricular diastolic function in young diabetics—a two dimensional echo Doppler study. *Indian Heart J* 1992;44:29-32.
 44. Blair E. Anatomy of the ventricular coronary arteries in the dog. *Circ Res* 1961;9:333-341.
-

Correction: Feasibility of near-infrared fluorescence imaging for sentinel lymph node evaluation of the oral cavity in healthy dogs

In the report “Feasibility of near-infrared fluorescence imaging for sentinel lymph node evaluation of the oral cavity in healthy dogs” (*Am J Vet Res* 2018;79:995-1000), the author affiliation should have been listed as “From the Department of Clinical Sciences, Carlson College of Veterinary Medicine, Oregon State University, Corvallis, OR 97331.” Also, the individual who performed cytologic evaluations of lymph node aspirates was a board-certified veterinary pathologist, not a veterinary clinical pathologist.