

Supplementary Table S1—Characteristics of dogs with intractable idiopathic epilepsy

that completed the study.

Patient	Breed	Sex	Age (years)	Concurrent AEDs	Seizure Frequency Prior to Treatment	Seizure Frequency with Treatment	Percent Change
CBD Group							
1	Mixed	MC	3	PB, KBr, LEV	2.0	1.0	-50.0
2	Pug	MI	4	KBr, LEV, ZNS	31.0	17.3	-44.2
3	Mixed	MC	3	PB, KBr, LEV	3.0	3.7	23.3
4	Mixed	MI	4	PB	30.0	15.7	-47.7
5	Boxer	FS	2	PB, KBr, LEV	30.0	17.0	-43.3
6	Dogo Argentino	MC	2	PB, LEV	3.0	2.0	-33.3
7	Golden Retriever	MC	6	PB	4.0	2.3	-42.5
8	Golden Retriever	MC	6	PB, ZNS	4.0	0.7	-82.5
9	Mixed	FS	12	KBr, ZNS	3.0	2.7	-10.0
Placebo Group							
10	Mixed	MC	3	ZNS	4.0	4.3	7.5
11	Newfoundland	MC	7	PB, KBr	2.0	2.7	35.0
12	Wirehaired Pointing Griffon	MC	6	PB, LEV, ZNS	4.0	1.7	-57.5
13	Australian Shepherd	MC	6	PB, LEV	2.0	2.0	0.0
14	Shetland Sheepdog	MC	6	KBr, LEV	5.0	6.0	20.0
15	Vizsla	MC	4	PB, ZNS	2.0	1.3	-35.0
16	Labrador Retriever	FS	10	PB	2.0	0.0	-100.0